


AN ISO 9001 : 2008 CERTIFIED COMPANY

Smart Storage Solution



EXCLUSIVE KITCHEN BASKET & WARDROBE ACCESSORIES



PRODUCT CATALOGUE

VERSION - 2.0



Company Profile

Sparrow is one of the fast-growing brands in the field of modular kitchen and furniture solutions. The brand is owned and manufactured by PATIDAR INTERIOR PRODUCTS, Veraval (Shapar), Gujarat. We have expanded into importing world-class hardware accessories and are now a leading name in manufacturing products with the same excellence and style. We offer a wide range of kitchen baskets and accessories designed to meet modern needs. Our state-of-the-art manufacturing facility, combined with strong design expertise, enables us to produce high-quality products on a large scale. Quality and consistency remain the core pillars of our supply chain, helping us successfully serve our customers over the years.

About Us

Sparrow is an ISO 9001:2015 certified brand, established in 2010 as an importer and manufacturer of premium quality kitchen hardware and wardrobe accessories under PATIDAR INTERIOR PRODUCTS. We provide one of the widest varieties of tandem boxes and kitchen baskets in India. Our products are supplied across nationwide.

INDEX

Ultra Luxurious Tandem Box Series	00
-----------------------------------	----

Superior Quality Fitting Accessories	00
--------------------------------------	----

Premium Kitchen Storage Systems	00
---------------------------------	----

Premium Grey Wardrobe Accessories	00
-----------------------------------	----

Stainless Steel Basket Series	00
-------------------------------	----



Ultra Luxurious Tandem Box Series

► PUSH OPEN SOFT CLOSE TANDEM WITH SYNCHRONIZATION AND BALANCER



Finish	: Grey Matt
Depth	: 300, 350, 400, 450, 500, 550mm
Height	: 90, 128, 175mm
Syn. Rod	: (Min.) 450mm to (Max.) 750mm
Load Capacity	: 35Kg.



(ALSO AVAILABLE WITHOUT SYNCHRONIZATION AND BALANCER)

▶ LED STRIP LIGHT FOR SLIM TANDEM BOX



Features :

- Battery operated Sensor mechanism.
- Enhances drawer visibility with modern lighting.
- Low power consumption, long-lasting performance.
- Automatically light on and off while operating drawer.

Finish : Dark Grey

Length : 400, 450, 500, 550mm

► GREY SLIM TANDEM BOX




Finish	: Grey Matt
Depth	: 300, 350, 400, 450, 500, 550, 600mm
Height	: 88, 120, 171, 199mm
Load Capacity	: 35Kg.



► PREMIUM GLASS TANDEM BOX




Finish	: Glass Grey Matt
Depth	: 400, 450, 500, 550mm
Glass Panel Height	: 90, 128, 175mm
Load Capacity	: 35Kg.



► NEW GLASS TANDEM FRONT PANEL




Finish	: Grey Matt
Height	: 4", 6", 8"
Width	: 2000 mm



► GREY TANDEM FRONT PANEL



Finish	: Grey Matt
Height	: 100, 200 mm
Width	: 2000 mm



► ANTI-SKID MAT (ROUND)




Features :

- Coated with an anti slip surface.
- Provides high grip to the products kept on them.
- Made from high quality material as per European Standards.
- Stops water from damaging the drawer bottoms.

Width 500mm x Length 5 Meter / 20 Meter

Width 550mm x Length 5 Meter / 20 Meter




▶ **ADJUSTABLE WOODEN CUTLERY ORGANIZER**



- Features :**
- Made from 100% Natural Bamboo.
 - Expandable from Both Side.
 - For Neat & Well Organized Cutlery Drawer.
 - Eco-Friendly & Anti-Bacterial.
 - Water Resistant.

Applied Tandem Box	Width Adjustable mm	Depth mm	Height mm
500	330-510	464	60
500	430-610	464	60
550	330-510	514	60
550	430-610	514	60











▶ **PATENTED NEW PVC CUTLERY (WITH MEASURING SCALE ON TRAY)**



BASIC TRAY SIZE

ADDITIONAL TRAY SIZE (FOR CUSTOMIZE EXTRA WIDTH)



Innovative Cutlery Tray With Anti-slip Bottom Pattern
Design Matt Finished Surface


- Pass FDA Test
- Convenient Cut-Lines indices at the tray bottom

► **PATENTED NEW PVC CUTLERY (WITH MEASURING SCALE ON TRAY)**




Drawer Width
400mm (350mm) (14")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	290	350	420	490	55	DARK GREY
22"	290	350	420	540		




Drawer Width
450mm (400mm) (16")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	340	400	420	490	55	DARK GREY
22"	340	400	420	540		




Drawer Width
500mm (450mm) (18")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	390	450	420	490	55	DARK GREY
22"	390	450	420	540		




Drawer Width
550mm (350mm+150mm=500mm) (20")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	450	500	420	490	55	DARK GREY
22"	450	500	420	540		




Drawer Width
600mm (550mm) (22")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	490	550	420	490	55	DARK GREY
22"	490	550	420	540		



Drawer Width
650mm (450mm+150mm=600mm) (24")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	500	550	420	490	55	DARK GREY
22"	500	550	420	540		




► **PATENTED NEW PVC CUTLERY (WITH MEASURING SCALE ON TRAY)**




Drawer Width
700mm (650mm) (26")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	590	650	420	490	55	DARK GREY
22"	590	650	420	540		




Drawer Width
750mm (550mm+150mm=700mm) (28")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	650	700	420	490	55	DARK GREY
22"	650	700	420	540		




Drawer Width
800mm (750mm) (30")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	690	750	420	490	55	DARK GREY
22"	690	750	420	540		




Drawer Width
850mm (650mm+150mm=800mm) (32")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	750	800	420	490	55	DARK GREY
22"	750	800	420	540		




Drawer Width
900mm (850mm) (34")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	790	850	420	490	55	DARK GREY
22"	790	850	420	540		



Drawer Width
950mm (750mm+150mm=900mm) (36")

Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	850	900	420	490	55	DARK GREY
22"	850	900	420	540		




► **PATENTED NEW PVC CUTLERY (WITH MEASURING SCALE ON TRAY)**



Drawer Width

1000mm (150mm+650mm+150mm=950mm) (38")


Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	900	950	420	490	55	DARK GREY
22"	900	950	420	540		



Drawer Width

1100mm (150mm+750mm+150mm=1050mm) (42")


Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	1000	1050	420	490	55	DARK GREY
22"	1000	1050	420	540		



Drawer Width

1200mm (150mm+850mm+150mm=1150mm) (46")


Depth (Inch)	Width (mm)		Depth (mm)		Height (mm)	Color
	Min.	Max.	Min.	Max.		
20"	1100	1150	420	490	55	DARK GREY
22"	1100	1150	420	540		



Knife Rack

Item No.	Width (mm)	Depth (mm)	Height (mm)	Color
RACK-N	100	420	50	DARK GREY
Fit to the 100mm slot of the tray from 500N to 1200N				

► CUSTOMIZE DRAWER DIVIDER



Color : Dark Gray

Size : H 60 x L 2000mm | H 90 x L 2000mm



2 Side Connector




3 Side Connector



4 Side Connector




► PREMIUM ADJUSTABLE CUTLERY PARTITION SYSTEM




Length	A
450	423.6mm
500	473.6mm
550	523.6mm

ADJUSTABLE 1 LINE CUTLERY



Length	A
450	423.6mm
500	473.6mm
550	523.6mm

ADJUSTABLE 3 LINE CUTLERY



Length	A
450	423.6mm
500	473.6mm
550	523.6mm

ADJUSTABLE 4 LINE CUTLERY

► **PREMIUM LUXURIOUS TANDEM ACCESSORIES**



**SINGLE LINE
SS BRUSH
304 CUTLERY**

W 100 X D 500
W 100 X D 550



**DOUBLE LINE
SS BRUSH
304 CUTLERY**

W 200 X D 500
W 200 X D 550



**TRIPLE LINE
SS BRUSH
304 CUTLERY**

W 280 X D 500
W 280 X D 550




**ALUMINIUM FRAME
CUTLERY SS BRUSH**

CUSTOMISE SIZE




**PVC CUTLERY
TRAY**

W : 380, 430, 480, 530, 630, 730, 830
D : 480, 520




**CUP
FIXTURE**

D 20" | D 22"



**PLATE
FIXTURE**

D 20" | D 22"



**THALI
FIXTURE**

D 20" | D 22"



Superior Quality Fitting Accessories

► **SOFT CLOSE BOTTOM MOUNT SLIDE FOR WOODEN DRAWERS**



Size : 12", 14", 16" 18", 20", 22"

► **PVC SKIRTING (BLACK)**



Size : 75mm | 100mm

► **PVC LEG (BLACK)**



Size : 100mm x 300mm

► **CABINET & SHUTTER AUTO HINGES**

MS HINGES (NON-SOFT CLOSE)



0° | 8° | 16° CRANK

MS HINGES (SOFT CLOSE)



0° | 8° | 16° CRANK

SS HINGES (SOFT CLOSE)



0° | 8° | 16° CRANK

MS THICK DOOR HINGES (SOFT CLOSE)



0° | 8° | 16° CRANK

MS 3D HINGES (SOFT CLOSE)



0° | 8° | 16° CRANK

SS 3D HINGES (SOFT CLOSE)



0° | 8° | 16° CRANK

SS SLIP ON HINGES (SOFT CLOSE)



0° | 8° | 16° CRANK

MS 90 HINGES (NON-SOFT CLOSE)



MS 165 HINGES (SOFT CLOSE)



MS SPRING LESS HINGES



0° | 8° CRANK

MS 3D HINGE (SOFT CLOSE)



0° | 8° | 16° CRANK

GERMAN
TECHNOLOGY

► Cabinet Push to Open





Features :

- This product must be matched with spring free and buffer free hinges.
- This product must be matched with the door opening angle less than 110 °
- The number of hinges matched with this product is customized according to the door panel specification




► CONCEALED DOOR STRAIGHTENER



SLOTING DIMENSION

1000-2200
The straightener need to be cut





INSTRUCTION FOR ALIGNMENT

Note : Use Two Sets When Door Width Is More Than 600mm

					
LEFT STRAIGHTENER	RIGHT STRAIGHTENER	REGULATION PLATE	CONNECTING PLATE	DECORATIVE COVER	Ø3.7 X 80 IRON ROB
1 Pc. / Set	1 Pc. / Set	1 Pc. / Set	6 Pcs. / Set	1 Pc. / Set	1 Pc. / Set

► HIDDEN SHELF SUPPORT




Size Single T

60 x 100mm

60 x 150mm


DESCRIPTION

- Elongated Hole Design, Easier to Install
- Reasonable hole distance reduces wall damage
- High strength high quality carbon steel
- Fischer duopower
- Countersunk design, shelf slotting requirement shallow depth
- Good bearing durability
- Surface electrostatic spraying
- Load capacity 5-10 Kg.



Single T Shelf Hidden Support

► SUPPORT FOR SPECIAL SHAPED SHELF



DESCRIPTION

- There is no need for milling on the shelf
- High strength high quality carbon steel
- Match Professional German fish anchor bolt
- Suitable for shelf with thickness of 17mm and above
- Suitable for various special-shaped shelves
- Surface galvanized treatment
- Load-bearing 5-10 Kg/Two
- More Efficient if using electric drill
- Optional hex socket for easy installation



► FREE FLAP LIFTER



Features :

- Opens easily with minimal force.
- Ideal for compact kitchens with overhead cabinets.
- Soft Close Mechanism, Ensures quiet and gentle closing.
- Sleek modern appearance.

Weight capacity : 3.5kg to 9kg / 6kg to 13kg



► VERTICAL LIFT UP SUPPORT



DESCRIPTION

- The Vertical Lift-up Support makes the whole panel open parallel upwards the max opening angle is 135°
- Easy to open, under angle 60°-110° with free stop function, and can soft open at angle 110°-135°
- Force of opening or closing is adjustable
- With soft closing function under angle 30°
- Easy assembly and adjustable

Model	Cabinet Height	Opening Net Height	Arm Length	Min. Weighting	Max. Weighting	Cabinet Width
G129-M210	410-500	366	210	3.8	6.3	650-1100
G129-H210	410-500	366	210	6.3	9	950-1200

Cabinet Height KH360-600mm, Depth should be 290mm at least.

Suitable for cabinet door width up to 500-1200mm.

If the calculated LF is in the overlap area, selects the larger model.

KH : Cabinet Height

FW : Front Weight

LF-KH(mm) x (Weight of door+ Handle weight x 2) FW (Kg)



▶ ADJUSTABLE UPWARD FOLDING DOOR LIFT SYSTEM



DESCRIPTION

- New Design, Easy Installation, Patented Product
- Novel appearance, Soft Closing with adjustable damper (Soft close speed can be adjustable)
- The opening angle is adjustable, Loading Capacity adjustable.
- Front Height from 700mm up to 1040mm, no need to replace the arm.

Model	Section According to the LF		Section According to the Weight		
	Cabinet Height	LF	Cabinet Height	Min. Weighting	Max. Weighting
GS325-L	700-1040	4400-6600	700	6.4	9.4
			800	5.0	8.2
			1040	4.2	6.3
GS325-MD	700-1040	4900-6800	700	7.0	9.7
			1040	4.7	6.5
GS325-M	700-1040	6500-8500	700	9.3	12.1
			1040	6.3	8.2



Cabinet Height KH500-1040mm, Depth should be 280mm at least.


Suitable for cabinet door width up to 600-1800mm.

Cabinet over 1000mm wide, or door over 10kg in weight, require 3 cabinet hinges and 3 connected hinges

If the calculated LF is in the overlap area, selects the larger model.

KH : Cabinet Height | FW : Front Weight | LF-KH(mm) x (Weight of door + Handle weight x 2) FW (Kg)

► SOFT CLOSE GAS PUMP WITH SS COVER





DISCRIPTION

- Easy to open
- Safety in use
- Damped Closing
- Easy to fit
- Long Life

SIZE

- 5 Kg.
- 10 Kg.
- 15 Kg.
- 20 Kg.
- 25 Kg.



CAUTION

- High pressure.
- Do not dismantle or damage.
- Do not expose to heat or fire.

► BLACK FULL BODY METAL GAS PUMP (CABINET LIFTER)




SIZE (10 Inch)	OUTER PACKING QTY.
5 Kg.	50 Set
10 Kg.	50 Set
15 Kg.	50 Set
20 Kg.	50 Set
25 Kg.	50 Set
30 Kg.	50 Set
35 Kg.	50 Set

DISCRIPTION

- Easy to open
- Safety in use
- Damped Closing
- Easy to fit
- Long Life

CAUTION

- High pressure.
- Do not dismantle or damage.
- Do not expose to heat or fire.



To be used with Steelberry Overlay Hinge

Side view of Cabinet with shutter in open condition to determine heights to fit round mound bracket after determining opening angle of shutter



Features :

- Folds down when not in use.
- Rust-Resistant & Durable stainless steel construction.
- Strong Supports for heavy weights securely.
- Easy Installation & Simple to mount on walls or furniture.

Finish : Stainless Steel 201

Size : 12", 14", 16", 18", 20"



PREMIUM BED LIFTER WITH HYDRAULIC PUMP



CAUTION

Gas springs used are highly pressured, do not dismantle or damage and do not expose to heat or fire.
Ensure that the top bed is locked properly with the bed frame.
Do not tighten nut fully, Gas springs should be able to rotate.



DESCRIPTION

- Ideal for storage under bed.
- Special Heavy-duty gas springs available in two loads.
- 5 Steps Opening.
- Easy to lift (with the weight of top board) with minimum force.
- Easy access as the gas lift keeps the bed top stay.
- Easy to fit.
- Long brackets provided for better support to the bed platform.
- Finish: Anthracite

GAS PUMP SIZE	FRAME SIZE
17 Inch (50 to 175 Kg.)	2 FEET (4mm)
17 Inch (200 Kg.)	3 FEET (4mm)
Dia : 28mm	4 FEET (4mm)
	5 FEET (4mm)

TABLE BRACKET



MATERIAL : MS
COLOR : GREY
APPLICATION : FOLDING TABLE
SIZE : 12" | 16" | 20"

FOLDING DINING



MATERIAL : ALU / MS
COLOR : GREY
APPLICATION : DINING FOLDING TABLE
SIZE : 3' | 4' | 5'

▶ VERTICAL WALL BED





DESCRIPTION

- No iron bed frame, reduce cost, reduce the loss of the storage and transportation cost and cost advantage
- Hardware and general, reduce the time and trouble custom bedstead
- 26 mm large diameter gas spring, confined ability stronger, more convenient installation, use more secure

Size
1200 x 1900 x 150mm
1200 x 2000 x 150mm



► VERTICAL WALL BED WITH MANUAL FOOT




DESCRIPTION

- Bed panel without groove
- Saving storage costs, reduce logistics
- Small packing volume, save storage space
- Easy and fast installation

Size
1200 x 2000 x 150mm

Cabinet Dimensions



► LIFT DRAWER TABLE MECHANISM



DESCRIPTION

- Aluminum alloy thickened track, bearing good.
- The use of multi-section synchronous rod.
- The side of the bag is more generous
- Synchronization device is more performance.
- Widely used in cabinets, side cabinets, wardrobes, bookcases, bay window cabinets, TV cabinets, god table.

Size : Depth 390, 540mm



▶ PVC WICKER BASKET



Cabinet Size 450MM

414 × 508 × 100

414 × 508 × 150

414 × 508 × 200

414 × 400 × 150

414 × 400 × 200

Cabinet Size 600mm

564 × 508 × 100

564 × 508 × 150

564 × 508 × 200

564 × 400 × 150

564 × 400 × 200

Special Features :

- Ideal for storing fruits and vegetables in organized manner.
- Easy to fit & use.
- 100% Waterproof



▶ PVC WICKER BASKET WITH QUARDRO CHANNEL

(Available in Soft Close & Non Soft Close)



Cabinet Size 450MM

414 × 508 × 100

414 × 508 × 150

414 × 508 × 200

414 × 400 × 150

Cabinet Size 600mm

564 × 508 × 100

564 × 508 × 150

564 × 508 × 200

564 × 400 × 150

Special Features :

- Ideal for storing fruits and vegetables in organized manner.
- Easy to fit & use.
- 100% Waterproof




► PREMIUM GREY ABS DUSTBIN WITH BOTTOM CHANNEL



Finish	: Dark Grey
Depth	: 520mm
Height	: 540mm
Width	: 380mm

H540



► PREMIUM GREY ABS DUSTBIN WITH BOTTOM CHANNEL



Finish	: Dark Grey
Depth	: 460mm
Height	: 370mm
Width	: 250mm



► DOUBLE PULL OUT WITH TANDEM CHANNEL (SLIM LINE)



Finish	: Grey Matt
Width	: 200, 250, 300mm
Depth	: 16", 20", 22"
Height	: 600mm



▶ TRIPLE PULL OUT WITH TANDEM CHANNEL (SLIM LINE)



Finish	: Grey Matt
Width	: 200, 250, 300mm
Depth	: 16", 20", 22"
Height	: 600mm



► GREY GLASS DOUBLE PULL OUT WITH TANDEM CHANNEL



Features :

- Two layers shelf
- Adjustable basket position
- Toughened Glass Basket
- Left & Right Option

Finish	: Grey Matt with Glass
Depth	: 500, 550 mm
Height	: 600mm
Width	: 200, 250, 300mm



► GREY GLASS TRIPLE PULL OUT WITH TANDEM CHANNEL



Features :

- Three layers shelf
- Adjustable basket position
- Toughened Glass Basket
- Left & Right Option


Finish	: Grey Matt with Glass
Depth	: 500, 550 mm
Height	: 600mm
Width	: 200, 250, 300mm



► UNIVERSAL MAGIC CORNER (SLIM LINE)




Finish	: Grey Matt
Width	: 660
Depth	: 455
Height	: 595



► GREY UNIVERSAL GLASS MAGIC CORNER




Finish	: Grey Matt with Glass
Width	: 660
Depth	: 455
Height	: 595



► GREY (PANTRY) VERTICAL TALL UNIT (SLIM LINE)

Features :

- Easy viewing of products on the rack.
- Slip storage for better overview and more transparency
- Left and right installable



SIZE : W : 450 | 600

► GREY GLASS (PANTRY) VERTICAL TALL UNIT

Features :

- Easy viewing of products on the rack.
- Slip storage for better overview and more transparency
- Left and right installable


Cabinet Width :

6 Layer - (450 & 600mm) (1960-2350mm)

Item Code :

ST PRP 450-6

ST PRP 600-6




Model No.	Cabinet(mm)	WxDxH(mm)
6 Layer	450	385 x 510 x (1959-2359)

► GREY SWING CORNER



Finish	: Grey Matt
Width	: 35.50 Inch (Min.)
Depth	: 20 Inch (Min.)
Height	: 24 Inch (Min.)




► **ELEVATOR**



Cabinet(mm)	WxDxH(mm)
600	564 x 283 x 525
900	864 x 283 x 525

Soft Stop Tension Ajustable



▶ CAPRI




Finish	: Black Matt
Width	: 900mm
With LED Light	



► ROLL TOP EASY CABINET SHUTTERS



Size	Material	Material
600mm(W) x 1300mm(H)	Pvc	White
600mm(W) x 1300mm(H)	Pvc	Grey
600mm(W) x 1300mm(H)	Pvc	Black
600mm(W) x 1300mm(H)	Glass	White
600mm(W) x 1300mm(H)	Glass	Grey
600mm(W) x 1300mm(H)	Glass	Black



▶ ROLL TOP EASY CABINET SHUTTERS


Special Features :

- Designed to give complete opening in cabinets.
- Great alternative to traditional hinged or sliding doors.
- This new Roll top Pro Series comes with an advanced spring loaded cartridge for easy operation and counter weight balancing as well as increase in life cycle.
- Wasy to install & offer a wide range of different solutions with a complete series pf accessories.
- Available in various finishes.

Fitting Instructions :

1. Insert the Spring mechanism inside the cabinet as shown in Fig.1.
2. Fix the track on left side edge of the cabinet as shown in Fig.2.
3. Similarly fix the Top track and Right track as shown in Fig.3. & Fig.4 respectively.
4. Move the spring mechanism at the top position, front facing outside and draw the rolling shutter through left & right track. Refer Fig. 5,6,7.
5. Locate the spring mechanism in its position and screw it as shown in Fig.8.
6. Attach the end cap at the bottom of the left & right track as shown in Fig.9.
7. Slide the rolling shutter to insure smooth working, Fig.10.

E		10
F		6
T		4



Figures :




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10


► S.S. WASTEBIN (SWING OUT DUSTBIN)



Cabinet(mm)	DxH(mm)	Ltr.
350	Dia 260 X H 310	9
400	Dia 290 X H 350	14

Special Features :

- Automatically opens the lid when cabinet is open.
- Remove bucket convenience.
- 14 Liters waste collection capacity.
- Made of non-toxic premium plastic used for long life.
- Special Stainless Steel Finish for elegant look.
- Quick installation and easy dismantling




► PUSH TO OPEN DEVICE



DESCRIPTION

- Push Open Fitting – Stroke 40mm
- With (screw-on) adapter plate for drawers & doors without handles, stroke 40mm.
- Adjustable distance is 4mm.
- Usage : Drawers, Cabinets, Shutters





Premium Grey Wardrobe Accessories

► PREMIUM GREY WARDROBE SERIES



JEWELLARY BOX

Finish : Grey

Depth : 465

Height : 75

Width : 864

Cabinet Width : 900



STORAGE BOX

Finish : Grey

Depth : 465

Height : 110

Width : 864

Cabinet Width : 900



STORAGE WITH COVER

Finish : Grey

Depth : 465

Height : 110

Width : 864

Cabinet Width : 900



COSMETIC TRAY

Finish : Grey

Depth : 465

Height : 110

Width : 864

Cabinet Width : 900

► PREMIUM GREY WARDROBE SERIES



DEEP LEATHER BASKET

Finish : Grey

Depth : 465

Height : 170

Width : 864

Cabinet Width : 900



EXTENDABLE TREY

Finish : Grey

Depth : 410

Height : 60

Width : 500-800

Cabinet Width : 600 TO 900



CLOTHES HANGING RACK

Finish : Grey

Depth : 465

Height : 76

Width : 864

Cabinet Width : 900



SHOE RACK

Finish : Grey

Depth : 465

Height : 175

Width : 864

Cabinet Width : 900

► PREMIUM GREY WARDROBE SERIES



LEATHER SAFE BOX

Finish : Grey

Depth : 400

Height : 150

Width : 580

Cabinet Width : 600



SIDE MOUNT PANT RACK

Finish : Grey

Depth : 455

Height : 115

Width : 350



TOP PANT RACK

Finish : Grey

Depth : 455

Height : 140

Width : 340



DOUBLE LINE TROUSER RACK

Finish : Grey

Depth : 455

Height : 115

Width : 630

► PREMIUM GREY WARDROBE SERIES



HANGING ROD

Finish : Grey

Depth : 12

Height : 30

Width : 3000



HANGING ROD HOLDER

Finish : Grey

Depth : 15

Height : 78

Width : 22



ROATATING SHOE RACK

Finish : Grey

Type : 12 Layer

Depth : 360

Height : 1910-2110

Width : 700



WATCH WINDER

Finish : Grey

Depth : 425

Height : 140

Width : 860

Cabinet Width : 900



Stainless Steel Basket Series

▶ PLAIN BASKET



Size in Inch

Size in mm

WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

▶ PARTITION BASKET



Size in Inch

Size in mm

WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

CUTLERY BASKET




Size in Inch

Size in mm

WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

CUP & SAUCER BASKET



Size in Inch

Size in mm

WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

▶ PLATE BASKET



Size in Inch

Size in mm

WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6 8	152 203

▶ THALI BASKET



Size in Inch

Size in mm

WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6 8	152 203

▶ PERFORATED SHEET CUTLERY BASKET



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

▶ BOTTLE BASKET



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6	152

▶ GLASS BASKET



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

▶ VEGETABLE BASKET



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6	152

► PREMIUM BOX CUTLERY BASKET




	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

► GRAIN TROLLEY




	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	8	203

► SHEET PLAIN BASKET



	Size in Inch	Size in mm
WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

► SHEET PARTITION BASKET




	Size in Inch	Size in mm
WIDTH	15 17 19 21 22 23 24 28 32	381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

► SHEET CUP & SAUCER




	Size in Inch	Size in mm
WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

► SHEET PLATE BASKET




	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6 8	152 203

► SHEET THALI BASKET




	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6 8	152 203

► SHEET GLASS BASKET



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

► SHEET BOTTLE BASKET



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6	152

► TWO SHELF PULL OUT BASKET



	Size in Inch	Size in mm
WIDTH	4 6 8 12	101 152 203 304
DEPTH	20 22 24	508 560 610
HEIGHT	17	431

▶ THREE SHELF PULL OUT BASKET



Size in Inch

Size in mm

WIDTH 4 | 6 | 8 | 12

101 | 152 | 203 | 304

DEPTH 20 | 22 | 24

508 | 560 | 610

HEIGHT 21

533

▶ MULTI PURPOSE SINGLE PULL OUT



Size in Inch

Size in mm

WIDTH 4 | 6 | 8 | (4+6+8)

101 | 152 | 203 | (101+152+203)


DEPTH 20 | 22 | 24

508 | 560 | 610

HEIGHT 24

600

▶ PLATE BOTTLE PULL OUT BASKET




Size in Inch

Size in mm

WIDTH	12	304
DEPTH	20 22 24	508 560 610
HEIGHT	17	431

▶ DETERGENT PULL OUT BASKET




Size in Inch

Size in mm

WIDTH	6	152
DEPTH	12	304
HEIGHT	12	304

► FIX DETERGENT RACK



	Size in Inch	Size in mm
WIDTH	6 (4+6)	152 (104+152)
DEPTH	12	304
HEIGHT	12	304

► SINK BASKET



	Size in Inch	Size in mm
WIDTH	19 21	482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6	152

► SINGLE CORNER



Size in Inch

Size in mm

WIDTH	9	228
DEPTH	9	228
HEIGHT	7	178

► DOUBLE CORNER



Size in Inch

Size in mm

WIDTH	9	228
DEPTH	9	228
HEIGHT	17	431

▶ TRIPLE CORNER



Size in Inch

Size in mm

WIDTH	9	228
DEPTH	9	228
HEIGHT	27	685

► CAROUSAL




Size in Inch

DIA 20 | 24 | 28

Size in mm

500 | 600 | 700

► D-TRAY



Size in Inch

DIA 20 | 24 | 28

Size in mm

500 | 600 | 700

► FULL ROUND



Size in Inch

DIA 16 | 20 | 24 | 28

Size in mm

400 | 500 | 600 | 700

► S. S. DELUXE SUMO GRAIN TROLLEY



Size in Inch

WIDTH 15 | 17 | 19 | 21

DEPTH 20 | 22 | 24

HEIGHT 12

Size in mm

381 | 431 | 482 | 533

508 | 560 | 610

304

► SHOE RACK



	Size in Inch	Size in mm
WIDTH	25	635
DEPTH	13	330
HEIGHT	21	533

► DUST BIN | PEDAL DUSTBIN



	Size in Inch		Size in Inch
DIA	8 9 10	DIA	7 8 10
HEIGHT	10 12 14	HEIGHT	11 13 15

► USE ME BASKET



	Size in Inch	Size in mm
WIDTH	12	304
DEPTH	8	200
HEIGHT	14	355

► HOT PLATE



	Size in Inch	Size in mm
WIDTH	12	304
DEPTH	8	203
HEIGHT	1.5	38

► CYLINDER TROLLEY




	Size in Inch	Size in mm
WIDTH	FIX	FIX
DEPTH	FIX	FIX
HEIGHT	FIX	FIX

► BIN HOLDER



	Size in Inch	Size in mm
WIDTH	10	250
HEIGHT	7.5	187

► PERFUME RACK




	Size in Inch	Size in mm
WIDTH	12 18	304 455
DEPTH	4	101
HEIGHT	4	101

► SLIDING HANGER RACK (W/O. CHANNEL)




	Size in Inch	Size in mm
WIDTH	1.5	38
DEPTH	18	455
HEIGHT	7	175

► PLATE RACK




	Size in Inch	Size in mm
WIDTH	16 24 30 34	406 610 762 863
DEPTH	9	228
HEIGHT	3	76

► GLASS RACK




	Size in Inch	Size in mm
WIDTH	16 24 30 34	406 610 762 863
DEPTH	9	228
HEIGHT	1.5	38

► HOOK RACK



	Size in Inch	Size in mm
WIDTH	1.5	38
DEPTH	10 15 20	254 381 508
HEIGHT	2.5	65

► GLASS HOLDER




	Size in Inch		Size in mm	
WIDTH	XXXX	XXXX	XXXX	XXXX
DEPTH	XX	XX	XX	XX
HEIGHT	XX 6 GLASS	XX 3 GLASS	XX 6 GLASS	XX 3 GLASS

▶ LAUNDRY BASKET




	Size in Inch	Size in mm
WIDTH	XXX	XXX
DEPTH	XXX	XXX
HEIGHT	XXX	XXX

▶ WINE GLASS HOLDER



	Size in Inch		Size in mm	
WIDTH	XX 6 GLASS	XX 3 GLASS	XX 6 GLASS	XX 3 GLASS
DEPTH	XX	XX	XX	XX
HEIGHT	XX	XX	XX	XX

▶ PLAIN BASKET (6mm)



Size in Inch

Size in mm

WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

▶ PARTITION BASKET (6mm)




Size in Inch

Size in mm


WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

CUTLERY BASKET (6mm)




	Size in Inch	Size in mm
WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

CUP & SAUCER BASKET (6mm)




	Size in Inch	Size in mm
WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

▶ PLATE BASKET (6mm)



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6 8	152 203

▶ THALI BASKET (6mm)



	Size in Inch	Size in mm
WIDTH	15 17 19 21	381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	6 8	152 203

▶ **THREE SHELF PULL OUT BASKET (6mm)**



	Size in Inch	Size in mm
WIDTH	4 6 8 12	101 152 203 304
DEPTH	20 22 24	508 560 610
HEIGHT	21	533

▶ **MULTI PURPOSE SINGLE PULL OUT (6mm)**



	Size in Inch	Size in mm
WIDTH	4 6 8 (4+6+8)	101 152 203 (101+152+203)
DEPTH	20 22 24	508 560 610
HEIGHT	24	600

▶ PLAIN BASKET (5mm)




Size in Inch

Size in mm

WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

▶ PARTITION BASKET (5mm)




Size in Inch

Size in mm


WIDTH	12 15 17 19 21 22 23 24 28 32	304 381 431 482 533 610 711 812
DEPTH	16 18 20 22 24	406 457 508 560 610
HEIGHT	4 6 8	101 152 203

► CUTLERY BASKET (5mm)




	Size in Inch	Size in mm
WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

► CUP & SAUCER BASKET (5mm)



	Size in Inch	Size in mm
WIDTH	12 15 17 19 21	304 381 431 482 533
DEPTH	20 22 24	508 560 610
HEIGHT	4	101

▶ PLATE BASKET (5mm)



Size in Inch

Size in mm

WIDTH 15 | 17 | 19 | 21

381 | 431 | 482 | 533


DEPTH 20 | 22 | 24

508 | 560 | 610

HEIGHT 6 | 8

152 | 203

▶ THALI BASKET (5mm)



Size in Inch

Size in mm

WIDTH 15 | 17 | 19 | 21

381 | 431 | 482 | 533

DEPTH 20 | 22 | 24

508 | 560 | 610

HEIGHT 6 | 8

152 | 203

▶ **THREE SHELF PULL OUT BASKET (5mm)**



	Size in Inch	Size in mm
WIDTH	4 6 8 12	101 152 203 304
DEPTH	20 22 24	508 560 610
HEIGHT	21	533

▶ **MULTI PURPOSE SINGLE PULL OUT (5mm)**



	Size in Inch	Size in mm
WIDTH	4 6 8 (4+6+8)	101 152 203 (101+152+203)
DEPTH	20 22 24	508 560 610
HEIGHT	24	600





Manufacture & Marketed by:

PATIDAR INTERIOR PRODUCTS

AN ISO 9001:2008 COMPANY

Veraval (Shapar) 360 024. Tal. Kotda Sangani, Dist. Rajkot. (Guj) INDIA.
E-mail : sparrowssbasket@gmail.com